

UTAH OFFICE OF EMSP

Paramedic Ground Ambulance Checklist

07/2023

Name of Agency: _____

Agency License or Designation Number: _____
(All Agencies Self Inspections requires two license personal to complete an inspection per vehicle)

Inspector 1: _____

Inspector 2: _____

Is this vehicle currently listed in your ImageTrend Agency License? Yes No Unknown

Date of Inspection: _____

Type of Inspection: Self Inspection New Vehicle

Equipment on this list may be stored in the vehicle or carried on individual persons as required by agency policy.

<u>Vehicle Information</u>		
	Vehicle 1	Vehicle 2
Vehicle License Plate Number		
VIN Number		
Year of Vehicle		
Active Vehicle or Reserve	<input type="checkbox"/> Active <input type="checkbox"/> Reserve	<input type="checkbox"/> Active <input type="checkbox"/> Reserve
Type of Vehicle (Ambulance, Fire Truck Transport, Other)		
Type of Inspection (Annual, New Vehicle, or both)	<input type="checkbox"/> Annual <input type="checkbox"/> New Vehicle	<input type="checkbox"/> Annual <input type="checkbox"/> New Vehicle
Defibrillator/AED Serial Number		

KEY:

P: Passed
Proper quantity & all equipment and supplies within expiration dates.

W: Waiver
Requires Bureau of Emergency Medical Services and Preparedness approval.

N/C: Non Compliant
Missing, damaged, or expired equipment and medications or insufficient quantity of supplies.

NA: Not Applicable
*Not a required item or for medications that have alternative options.

<u>Vehicle Equipment and Reference Manual Checklist</u>		
	Vehicle 1	Vehicle 2
Written standing orders or Downloaded Digital Version	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Approved waivers to add or remove items from this list (requires approval from agency Medical Director AND State EMS Medical Director)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Pediatric Reference Manual or Downloaded Digital Version	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Emergency Response Guidebook (ERG) or Downloaded Digital Version	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Sanitary conditions	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Triage system	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Flashing lights and siren	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Radio equipment	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Fire extinguisher with current inspection sticker, dry chemical type with rating of 2A10BC or Halogen. (Weight 2.5-10 pounds)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Patient gurney with manufactures recommended securing devices for the gurney and patient	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Cardiac & Vital Sign Equipment		
Cardiac monitor/defibrillator/pacer with adult and pediatric capabilities / Waveform Capnography / SPO2 Waveform / BP / 12 lead EKG	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
24 electrodes for EKG Monitoring	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Sets defibrillator pads, combination type, Adult & Pediatrics pads or combination (pacing, cardioversion, defibrillation)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Safety razor	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Pulse oximeter with adult and pediatric probe	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Glucose measuring device and supplies	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Thermometer	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Blood pressure cuff (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Blood pressure cuff (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Stethoscope (Adult & pediatric) or combination	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
OB, Trauma Dressings & Supplies		
OB kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkin, and biohazard bags)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Heavy duty shears	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
12 4x4 Gauze pads	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
8 Soft roller type bandages 4" x 5 yards	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Rolls tape	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Triangular bandages	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

2 Sterile dressings, 5"x9", 8"x10" or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Occlusive sterile dressings or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Commercial tourniquet	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Hard commercial eye shield for eye injuries	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Biohazard bags	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lower extremity traction splint (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lower extremity traction splint (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Upper extremity, non-traction splint	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lower extremity, non-traction splint	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Cervical collars or equivalent (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Cervical Collar or equivalent (pediatric/infant)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Needle decompression device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
500cc irrigation solution	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Required to carry one of the following spinal motion restriction devices.		
Spinal Board w/all required equipment	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Full body vacuum splint	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Scoop Device w/all required equipment	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
PPE Supplies for Patient and Crew		
	Vehicle 1	Vehicle 2
Gloves, non-sterile, latex free or equivalent, various sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Full body substance isolation protection (one per crew member)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
N95 or N100 TB mask (one per crew member & patient)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Protective eyewear, goggles or face shield (one per crew member)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Reflective Safety vest, OSHA approved (one per crew member)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Car seat, federal safety standard approved	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Emesis basins or bag, or large basin	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Urinals (male and female) or universal	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance to OSHA standards.	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Disposable pillows	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Sheets	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Blankets	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
3 Towels	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Airway Equipment and supplies		
	Vehicle 1	Vehicle 2
Permanent, large capacity O2 delivery system	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Portable oxygen delivery system with metered flow and adequate tubing	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Suction device, portable with wide-bore tubing and rigid pharyngeal suction tip.	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
CPAP device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Bag valve mask adult	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Bag valve masks pediatric and infant	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Oropharyngeal airway (infant to adult sizes)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nasopharyngeal airway (Sizes from 14-36 French)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Water based lubricant (tube or equivalent)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Non-rebreather or partial non-rebreather O2 mask (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Non-rebreather or partial non-rebreather O2 mask (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Nasal cannula (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Nasal cannula (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Nebulizer containers, small volume for aerosol solutions	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Magill forceps (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Magill forceps, (child/infant)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Supraglottic airways – adult sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Supraglottic airways – pediatric sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Laryngoscope curved and straight blades with 2 extra batteries and 2 extra bulbs	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Endotracheal tube, size 5	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube, size 5.5	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube, size 6	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube, size 6.5	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube, size 7	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube, size 7.5	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube, size 8	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
60cc cath. tipped syringe	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube stylet Adult (Can be with ET Tube set)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube stylet pediatric (if carrying Ped sized ET tubes) Can be with ET Tube set	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube securing device (adult/(peds if carrying Peds Size ET tubes))	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal suction catheters, 5-12 Fr	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Oro-nasogastric tube (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Oro-nasogastric tube (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Tongue blades	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Cricothyroidotomy kit	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
IV Fluid and Supplies		
4,000ml Ringer's lactate or normal saline or both	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Normal saline for injection/inhalation (Flush)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
10 Alcohol preps or iodine pads	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 IV start packs	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Saline locks	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
4 IV tubing capable of micro and macro drip chambers or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Each, 16, 18, 20, 22, 24ga. over the needle catheters	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
intraosseous needle or delivery system (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
intraosseous needle or delivery system (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Sharps container	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 20cc, 30cc or 60cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 10cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 3cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 1cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

10 Needles, assorted sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Drug/Medication Requirements		
2 Albuterol Sulfate, 2.5mg premixed	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
3mg Epinephrine 1mg/1ml	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Diphenhydramine IV, 50mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
1mg vial glucagon needs to be on a Ambulance or Quick Response within 20 minutes of patient	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Dose minimum - Dextrose 50%, Dextrose 25% or Dextrose 10% must have 50g in total	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Oral glucose tubes, 15g concentrated or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Atropine Sulfate, 1mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nitroglycerine, 0.4mg (tablet, spray or powder) For tablets, place date upon opening, expires after six months	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
8 Chewable aspirin, 81mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Epinephrine 1mg/10ml	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Lidocaine (IV for cardiac use) or 2 Amiodarone 450mg IV (or both)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Sodium Bicarbonate 50mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Promethazine HCL, 50 mg or Ondansetron, 8mg; or both	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
4 Naloxone HCL, 2mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Required to carry at least one of the following:		
Diazepam	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lorazepam	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Midazolam	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Required to carry at least one narcotic pain medication may carry other nonnarcotic pain medications:		
Fentanyl 200mcg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ketamine 200 mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Morphine Sulfate 20 mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nalbuphine 10mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Optional equipment, supplies, and drugs		
Ring cutter	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Mylar blanket	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Bulb syringe (infant) separate from OB kit	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Endotracheal tube stylet (pediatric)Can be with ET Tube set	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Endotracheal tube, Sizes 3 to 4.5	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
30cc Cath. tipped syringe	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
14ga over the needle catheters	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Three-way stopcock	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Automated chest compression device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Automated transport ventilator	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Meconium aspirator	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Bougie device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Hemostatic gauze or agent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
High Flow Nasal Cannula Device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Impedance threshold device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Inflatable back raft	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
IV infusion pump	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Morgan lens for ocular irrigation	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Mucosal atomization device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Portable sonographic device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Transcutaneous CO detector	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Vacutainer holder	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Vacutainer multiple sample luer adaptors	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Vacutainer tubes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Video laryngoscope	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
IV tubing with blood administration sets	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Acetaminophen adult or pediatric	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Activated charcoal	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Adenosine	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Calcium gluconate	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
CyanoKit	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Dopamine	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Droperidol	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Furosemide	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Haloperidol	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Hydromorphone	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ibuprofen adult or pediatric	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ipratropium bromide (nebulized)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ketorelac 60 mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Magnesium Sulfate	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Meperidine	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

methalprednisone	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nerve agent antidote (Mark 1 kits or Duodote)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Oxytocin	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Procainamide	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Tylenol IV	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Vasopressin	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA