



Utah Advanced Air Ambulance

Updated July 2024

Name of Agency:

Agency License or Designation Number:

(All Agencies Self Inspections requires two license personal to complete an inspection per vehicle)

Inspector 1:

Inspector 2:

Is this vehicle currently listed in your ImageTrend Agency License? ☐ Yes ☐ No ☐ Unknown

Date of Inspection:

Type of Inspection: ☐ Self Inspection ☐ New Vehicle

Aircraft Information

	Vehicle 1	Vehicle 2
Aircraft tail Number		
VIN Number		
Year of Aircraft		
Active Aircraft or Reserve	☐ Active ☐ Reserve	☐ Active ☐ Reserve
Type of Inspection (Annual, or New Aircraft)	☐ Annual ☐ New Vehicle	☐ Annual ☐ New Vehicle
Monitor Serial Number		

KEY:

P: Passed

Proper quantity & all eqiptment and supplies within expiration dates.

W: Waiver

Requires Bureau of Emergency Medical Services and Preparedness approval.

N/C: Non Compliant

Missing, damaged, or expired equipment and medications or insufficient quantity of supplies.

NA: Not Applicable

*Not a required item or for medications that have alternative options.

General Equipment

	Vehicle 1	Vehicle 2
1 FAA approved Patient litter or stretcher with restraints	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Emesis basin or bag	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Flashlight & two extra batteries	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Pair Restraints	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 Sets crew biohazard protection, i.e.; goggles, gloves, masks	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Waterless hand cleaner	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Pair bandage scissors	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Temperature and ventilation system for the patient treatment area	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Overhead or dome lighting of at least 40-foot candle at the patient level	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Sufficient patient isolated from the cockpit to minimize in-flight distractions and interference with flight safety	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

"No smoking" signs shall be prominently displayed inside	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Controlled Substance lockup system if to be left unattended	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Survival gear appropriate to service area and number of occupants	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Set of patient linens	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Sound Suppressors for Patient	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Airway Equipment		
60cc cath tip syringe	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Suction apparatus with wide bore tubing and rigid pharyngeal suction tip, one must be portable.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Bag valve mask adult, Peds and infant sizes unit 500 cc with adult, child, & infant size masks.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Non-rebreather masks Adult and Pediatric sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Nasal cannulas, Adult and Pediatric sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Portable oxygen tank with a regulator capable of metered flow and capable of delivering oxygen at a rate of 15 lpm	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Laryngoscope, with curved & straight blades in various sizes for adult, pediatric, & neonatal; spare batteries & bulb.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
7 Endotracheal tubes, cuffed sizes 8, 7.5, 7, 6, 5, uncuffed 4, 3	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2-Gastric tubes various sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 ETCO2 detection device.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Device for securing the endotracheal tube	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Stylets, Adult & Pediatric sizes.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 set Oral airways, adult to infant sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Devices for decompressing of pneumothorax	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Magill forceps, one pediatric and one adult.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Oxygen saturation monitor.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 PEEP valve.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Surgical lubricant	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Small volume nebulizer	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Thoracostomy access device w/ all supplies	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Cardiac & Vital Sign Equipment		
Spare ECG Electrodes.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Spare roll of ECG recording paper	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

Cardiac monitor/Defibrillator/Pacer/Waveform Capnography / SPO2 Waveform / BP / 12 lead EKG	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Electronic Doppler device or portable ultrasound machine	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Stethoscopes, one adult & one pediatric or combination	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Blood pressure cuffs, adult & pediatric sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Thermometer	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Glucose monitoring device	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Trauma Equipment & Supplies		
2 Rolls of adhesive tape	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
5 Sterile dressing pads.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
4 Bandages, soft roller, self-adhering type, 4"X5	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 Occlusive sterile dressings or equivalent	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Non-Sterile gloves Assorted sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Splints, one arm and one leg size	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Traction splint dual size	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Commercial tourniquets	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Cervical collars or equivalent (adult)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Cervical Collar or equivalent (pediatric/infant)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Required to carry at least one spinal motion restriction device for patient movement		
Spinal Board (can include Patient litter listed above)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Full body vacum splint	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Scoop Device	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
IV Fluid and Supplies		
10 Alcohol & Providine-iodophor preps	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Over-the-needle catheters, two each 16g, 18g, 20g, 22g & 24g.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 Sterile Blood administration sets.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 IV Pressure bags	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 IV tubings with pediatric micro drip chambers	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
10 Syringes, assorted sizes, small to large	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
10 Needles, assorted sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Foley catheter set.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Kelly clamp	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Nasal gastric tubes, Adult & Pediatric	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Pick-up forceps	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Portable IV pump apparatus, battery powered, & capable of regulating three IV drips with appropriate IV pump tubing	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

Medication Requirements (exact medication to be determined by each agencies medical director)		
3 100cc mixing solutions for Parenteral	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
30cc Normal Saline. & 3-10cc of Sterial water	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3,000 cc I.V. Fluids	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Adenosine	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-Cholinergic (Ex: Atropine)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Calcium Chloride/Gluconate	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Hypoglycemic Antidote (Ex: D50W)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anticonvulsant (Ex: Phenytoin, Diazepam,	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Calcium Channel Blocker	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Benzodiazepam (Ex: Valium)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Antihistamine	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Alpha/Beta Agonist	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Induction Sedative for R.S.I	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Diuretic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Antiarrhythmics to cover ACLS algorithms for tachydysrhythmias, bradydysrhythmias, asystole (Ex : Lidocaine, Magnesium Sulfate, Procainamide, Atropine Sulfate)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Analgesic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Beta Blocker	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-hypertensive (Ex: Nitroprusside,	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Narcotic Antagonist	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-emetic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Sodium Bicarbonate	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Systemic Corticosteroid Agent	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Inhalaed Bronchodilator (Ex: Albuterol)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-anginal / Vasodilator (Ex: Nitroglycerin)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Platelet-Aggregation Inhibitor (Ex: Aspirin)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Heparin	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Antibiotic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA