



UTAH PEDIATRIC AIR AMBULANCE V. 7/2024

Name of Agency:

Agency License or Designation Number:

(All Agencies' Self Inspections require two licensed personnel to complete an inspection per vehicle)

Inspector 1:

Inspector 2:

Is this vehicle currently listed in your ImageTrend Agency License? ☐ Yes ☐ No ☐ Unknown

Date of Inspection:

Type of Inspection: ☐ Self Inspection ☐ New Vehicle**Vehicle Information**

	Vehicle 1	Vehicle 2
Aircraft tail Number		
VIN Number		
Year of Aircraft		
Active Aircraft or Reserve	☐ Active ☐ Reserve	☐ Active ☐ Reserve
Type of Inspection (Annual, or New Aircraft)	☐ Annual ☐ New Vehicle	☐ Annual ☐ New Vehicle
Monitor Serial Number		

Equipment on this list may be stored on the aircraft
or carried on individual persons as required by
agency policy.

KEY:**P: Passed**

Proper quantity & all equipment and supplies within expiration dates.

W: Waiver

Requires Bureau of Emergency Medical Services and Preparedness approval.

N/C: Non Compliant

Missing, damaged, or expired equipment and medications or insufficient quantity of supplies.

NA: Not Applicable

*Not a required item or for medications that have alternative options.

General Equipment

	Vehicle 1	Vehicle 2
1 FAA approved Patient litter or stretcher with restraints	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Set of patient linens	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Emesis basin or bag	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Flashlight & two extra batteries	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Child safety restraint	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Warming device	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 Sets crew biohazard protection, i.e. goggles, gloves, masks	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Waterless hand cleaner	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Pair bandage scissors	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Temperature and ventilation system for the patient treatment area	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Overhead or dome lighting of at least 40-foot candle at the patient level	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Sufficient patient isolated from the cockpit to minimize in-flight distractions and interference with flight safety	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
"No smoking" signs shall be prominently displayed inside	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Controlled Substance lockup system if to be left unattended	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Survival gear appropriate to service area and number of occupants	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

Airway Equipment

Ventilator immediately Available & must have: Independent oxygen supply, all adapters necessary to connect all ventilation equipment and patient, capable of providing positive pressure and intermittent ventilation for all pediatric patients.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Bulb syringe	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Suction apparatus with wide bore tubing and rigid pharyngeal suction tip, one must be portable. Suction Catheters 6,8,&10 French	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Bag valve mask ventilation unit, 500 cc with adult, child, & infant size masks.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Mask with reservoir, Pediatric size	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Simple mask, Pediatric size	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Nasal cannulas, Pediatric and infant sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Portable oxygen tank with a regulator capable of metered flow and capable of delivering oxygen at a rate of 15 lpm	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Laryngoscope, with curved & straight blades in various sizes for adult, pediatric, & neonatal; spare batteries & bulb.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 each size- Endotracheal tubes, sizes 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6.5, 7 & 8	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Device for securing the endotracheal tube	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2-Gastric tubes, 10F, 16F	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Stylets, Adult & Pediatric sizes.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 Oral airways, one adult, one pediatric, and one infant	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Devices for decompressing of pneumothorax	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Magill forceps, one pediatric and one adult.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Oxygen saturation monitor.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 self-inflating bag valve mask ventilation unit PEEP valve.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Pediatric resuscitation bag	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
End title CO2 monitoring device with all adaptors for infant- peds	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Thoracostomy Kit	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Small volume nebulizer	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
4- sterile surgical gloves in assorted sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Water based lubricant (tube or equivalent)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

Cardiac & Vital Sign Equipment

1 Cardiac monitor/defibrillator/pacer with adult and pediatric capabilities / Waveform Capnography / SPO2 Waveform / BP / 12 lead EKG	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Electronic Doppler device	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Stethoscopes for Adult, peds and infant	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Blood pressure cuffs for adult, peds and infants	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Thermometer	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Oxygen Saturation monitor for Peds and infant	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 glucose monitoring device and all supplies	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

Trauma Equipment Dressings & Supplies

2 Rolls of adhesive tape	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
5 Sterile dressing pads.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
4 Bandages, soft roller, self-adhering type, 4"X5 yards or equivalent	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Non sterile gloves in assorted sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Occlusive dressings or equivalent	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 commercial tourniquets	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 Splints	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 Traction splint dual size	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Cervical collars, Adult, Peds and infant	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

IV Supplies

10 Alcohol & Providine-iodophor preps	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 each Over-the-needle catheters, sizes 16g, 18g, 20g 22g, & 24g.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

2 Blood administration sets.	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 IV Pressure bags	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
2 IV tubings with pediatric micro drip chambers	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
10 Syringes, assorted sizes, small to large	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
10 Needles, assorted sizes	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 IV pumps capable of providing & regulating constant intravenous infusions accurate to 1 cc/hour & appropriate tubing for the IV pump appropriate IV pump tubing	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA

Drug Requirements		
3 each 50-100cc mixing solutions for Parenteral Medications	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
1 each 30cc Normal Saline & 10cc sterile water	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
3 liters I.V. Fluids	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Adenosine	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-Cholinergic (Ex: Atropine)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Calcium Chloride/Gluconate	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Hypoglycemic Antidote (Ex: D50W)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anticonvulsant (Ex: Phenytoin, Diazepam, Lorazepam, Phenobarbital)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Calcium Channel Blocker	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Adrenergic Agonist (Ex: Dopamine)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Benzodiazepam (Ex: Valium)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Antihistamine	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Alpha/Beta Agonist	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Sedative for R.S.I	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Diuretic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Antiarrhythmics to cover ACLS algorithms for tachydysrhythmias, bradysrhythmias, asystole (Ex : Lidocaine, Magnesium Sulfate, Procainamide, Atropine Sulfate)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Analgesic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Beta Blocker	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-hypertensive (Ex: Nitroprusside, Metoprolol)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Narcotic Antagonist	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-emetic	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Alkalinizing Agent (Ex: Sodium Bicarbonate)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Systemic Corticosteroid Agent	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Sympathomimetic Agent / Bronchodilator (Ex: Albuterol)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Anti-anginal / Vasodilator (Ex: Nitroglycerin)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Neuromuscular Blocker	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Platelet-Aggregation Inhibitor (Ex: Aspirin)	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA
Antibiotics	☐ P ☐ W ☐ N/C ☐ NA	☐ P ☐ W ☐ N/C ☐ NA